

S45C
(機械構造用高炭素鋼鋼管)

在庫品

サイズ				
外径	肉厚	長さ		kg/m
21.7	x 4.0	L		1.75
	x 5.0	L		2.06
	x 6.0	L		2.32
	x 7.0	L		2.54
25.4	x 4.0	6000		2.11
	x 5.0	6000		2.52
	x 6.0	6000		2.87
27.2	x 4.0	6000		2.29
	x 5.0	6000		2.74
	x 6.0	6000		3.14
	x 7.0	6000		3.49
	x 8.0	6000		3.79
30.0	x 4.0	6000		2.56
	x 5.0	6000		3.08
	x 6.0	6000		3.55
	x 7.0	6000		3.97
	x 8.0	6000		4.34
31.8	x 4.0	6000		2.74
	x 5.0	6000		3.30
	x 6.0	6000		3.82
	x 7.0	6000		4.28
	x 8.0	6000		4.70
34.0	x 4.0	6000		2.96
	x 4.5	6000		3.27
	x 5.0	6000		3.58
	x 5.5	6000		3.87
	x 6.0	6000		4.14
	x 6.4	6000		4.36
	x 7.0	6000		4.66
	x 8.0	6000		5.13
	x 9.0	6000		5.55
	x 10.0	6000		5.92
38.1	x 4.0	6000		3.36
	x 5.0	6000		4.08
	x 6.0	6000		4.75
	x 7.0	6000		5.37
	x 8.0	6000		5.94
	x 9.0	6000		6.46
	x 10.0	6000		6.93
40.0	x 5.0	6000		4.32
	x 6.0	6000		5.03
	x 7.0	6000		5.70
	x 8.0	6000		6.31
	x 10.0	6000		7.40
42.7	x 5.0	6000		4.65
	x 6.0	6000		5.43
	x 7.0	6000		6.16
	x 8.0	6000		6.85
	x 10.0	6000		8.06
	x 12.0	6000		9.08
45.0	x 4.0	6000		4.04
	x 5.0	6000		4.93
	x 6.0	6000		5.77
	x 7.0	6000		6.56
	x 8.0	6000		7.30
	x 9.0	6000		7.99

サイズ				
外径	肉厚	長さ		kg/m
45.0	x 10.0	6000		8.63
	x 12.0	6000		9.77
48.6	x 5.0	6000		5.38
	x 6.0	6000		6.30
	x 7.0	6000		7.18
	x 8.0	6000		8.01
	x 9.0	6000		8.79
	x 10.0	6000		9.52
	x 12.0	6000		10.80
	x 15.0	6000		12.40
50.8	x 5.0	6000		5.65
	x 6.0	6000		6.63
	x 7.0	6000		7.56
	x 8.0	6000		8.44
	x 9.0	6000		9.28
	x 10.0	6000		10.10
	x 12.0	6000		11.50
	x 15.0	6000		13.20
54.0	x 6.0	6000		7.10
	x 7.0	6000		8.11
	x 8.0	6000		9.07
	x 10.0	6000		10.90
	x 12.0	6000		12.40
	x 14.0	6000		13.80
	x 18.0	6000		16.00
55.0	x 10.0	6000		11.10
	x 15.0	6000		14.80
57.0	x 5.0	6000		6.41
	x 6.0	6000		7.55
	x 7.0	6000		8.63
	x 8.0	6000		9.67
	x 10.0	6000		11.60
	x 12.0	6000		13.30
	x 15.0	6000		15.50
	x 18.0	6000		17.30
60.5	x 5.0	6000		6.84
	x 6.0	6000		8.05
	x 7.0	6000		9.24
	x 8.0	6000		10.40
	x 10.0	6000		12.50
	x 12.0	6000		14.40
	x 15.0	6000		16.80
	x 18.0	6000		18.90
63.5	x 6.0	6000		8.51
	x 7.0	6000		9.75
	x 8.0	6000		10.90
	x 10.0	6000		13.20
	x 12.0	6000		15.20
	x 15.0	6000		17.90
	x 18.0	6000		20.20
	x 20.0	6000		21.50
65.0	x 8.0	6000		11.20
	x 10.0	6000		13.60
	x 12.0	6000		15.70
	x 15.0	6000		18.50
	x 18.0	6000		20.90

S45C
(機械構造用高炭素鋼鋼管)

在庫品

サイズ				
外径	肉厚	長さ		kg/m
65.0	x 20.0	6000		22.20
70.0	x 5.0	6000		8.01
	x 6.0	6000		9.47
	x 7.0	6000		10.90
	x 8.0	6000		12.20
	x 10.0	6000		14.80
	x 12.0	6000		17.20
	x 13.0	6000		18.30
	x 15.0	6000		20.30
	x 18.0	6000		23.10
	x 20.0	6000		24.70
73.0	x 6.0	6000		9.91
	x 8.0	6000		12.80
	x 10.0	6000		15.50
	x 12.0	6000		18.10
	x 15.0	6000		21.50
	x 18.0	6000		24.40
	x 20.0	6000		26.10
76.3	x 7.0	6000		12.00
	x 8.0	6000		13.50
	x 10.0	6000		16.30
	x 12.0	6000		19.00
	x 15.0	6000		22.70
	x 18.0	6000		25.90
	x 20.0	6000		27.80
	x 25.0	6000		31.60
80.0	x 8.0	6000		14.20
	x 10.0	6000		17.30
	x 12.0	6000		20.10
	x 15.0	6000		24.00
	x 18.0	6000		27.50
	x 20.0	6000		29.60
	x 25.0	6000		33.90
82.6	x 8.0	6000		14.70
	x 10.0	6000		17.90
	x 12.0	6000		20.90
	x 13.0	6000		22.30
	x 15.0	6000		25.00
	x 18.0	6000		28.70
	x 20.0	6000		30.90
	x 22.0	6000		32.90
	x 25.0	6000		35.50
85.0	x 8.0	6000		15.20
	x 10.0	6000		18.50
	x 12.0	6000		21.60
	x 15.0	6000		25.90
	x 18.0	6000		29.70
	x 20.0	6000		32.10
	x 25.0	6000		37.00
89.1	x 8.0	6000		16.00
	x 10.0	6000		19.50
	x 11.0	6000		21.20
	x 12.0	6000		22.80
	x 15.0	6000		27.40
	x 18.0	6000		31.60
	x 20.0	6000		34.10
	x 22.0	6000		36.40

サイズ				
外径	肉厚	長さ		kg/m
89.1	x 25.0	6000		39.50
95.0	x 8.0	6000		17.20
	x 10.0	6000		21.00
	x 12.0	6000		24.60
	x 15.0	6000		29.60
	x 18.0	6000		34.20
	x 20.0	6000		37.00
	x 22.5	6000		40.20
	x 25.0	6000		43.20
96.0	x 8.0	6000		17.40
	x 10.0	6000		21.20
	x 12.0	6000		24.90
	x 15.0	6000		30.00
	x 18.0	6000		34.60
	x 20.0	6000		37.50
	x 25.0	6000		43.80
	x 30.0	6000		48.80
101.6	x 8.0	6000		18.50
	x 10.0	6000		22.60
	x 12.0	6000		26.50
	x 15.0	6000		32.00
	x 18.0	6000		37.10
	x 20.0	6000		40.20
	x 25.0	6000		47.20
	x 30.0	6000		53.00
	x 35.0	6000		57.50
105.0	x 10.0	6000		23.40
	x 12.0	6000		27.50
	x 15.0	6000		33.30
	x 18.0	6000		38.60
	x 20.0	6000		41.90
	x 25.0	6000		49.30
	x 30.0	6000		55.50
	x 35.0	6000		60.40
110.0	x 10.0	6000		24.70
	x 12.0	6000		29.00
	x 15.0	6000		35.10
	x 18.0	6000		40.80
	x 20.0	6000		44.40
	x 25.0	6000		52.40
	x 30.0	6000		59.20
	x 35.0	6000		64.70
114.3	x 8.0	6000		21.00
	x 10.0	6000		25.70
	x 12.0	6000		30.30
	x 13.5	6000		33.60
	x 15.0	6000		36.70
	x 18.0	6000		42.70
	x 20.0	6000		46.50
	x 22.0	6000		50.10
	x 25.0	6000		55.10
	x 30.0	6000		62.40
	x 35.0	6000		68.40
120.0	x 10.0	6000		27.10
	x 12.0	6000		32.00
	x 15.0	6000		38.80
	x 18.0	6000		45.30
	x 20.0	6000		49.30

S45C
(機械構造用高炭素鋼鋼管)

在庫品

サイズ				
外径	肉厚	長さ		kg/m
120.0	x 25.0	6000		58.60
	x 30.0	6000		66.60
	x 35.0	6000		73.40
127.0	x 8.0	6000		23.50
	x 10.0	6000		28.90
	x 12.0	6000		34.00
	x 15.0	6000		41.40
	x 18.0	6000		48.40
	x 20.0	6000		52.80
	x 25.0	6000		62.90
	x 30.0	6000		71.80
	x 35.0	6000		79.40
130.0	x 10.0	6000		29.60
	x 12.0	6000		34.90
	x 15.0	6000		42.50
	x 18.0	6000		49.70
	x 20.0	6000		54.30
	x 25.0	6000		64.70
	x 30.0	6000		74.00
	x 35.0	6000		82.00
	x 40.0	6000		88.80
135.0	x 10.0	6000		30.80
	x 12.0	6000		36.40
	x 15.0	6000		44.40
	x 20.0	6000		56.70
	x 25.0	6000		67.80
	x 30.0	6000		77.70
	x 35.0	6000		86.30
139.8	x 8.0	6000		26.00
	x 10.0	6000		32.00
	x 12.0	6000		37.80
	x 15.0	6000		46.20
	x 18.0	6000		54.10
	x 20.0	6000		59.10
	x 25.0	6000		70.80
	x 30.0	6000		81.20
	x 35.0	6000		90.50
	x 40.0	6000		98.40
146.0	x 10.0	6000		33.50
	x 12.0	6000		39.70
	x 15.0	6000		48.50
	x 18.0	6000		56.80
	x 20.0	6000		62.10
	x 25.0	6000		74.60
	x 30.0	6000		85.80
	x 35.0	6000		95.80
152.4	x 10.0	6000		35.10
	x 12.0	6000		41.50
	x 15.0	6000		50.80
	x 18.0	6000		59.70
	x 20.0	6000		65.30
	x 25.0	6000		78.50
	x 30.0	6000		90.60
	x 35.0	6000		101.00
	x 40.0	6000		111.00
	x 45.0	6000		119.00

サイズ				
外径	肉厚	長さ		kg/m
159.0	x 10.0	6000		36.70
	x 12.0	6000		43.50
	x 15.0	6000		53.30
	x 18.0	6000		62.60
	x 20.0	6000		68.60
	x 25.0	6000		82.60
	x 30.0	6000		95.40
	x 35.0	6000		107.00
	x 40.0	6000		117.00
	x 45.0	6000		127.00
165.2	x 10.0	6000		38.30
	x 12.0	6000		45.30
	x 15.0	6000		55.60
	x 20.0	6000		71.60
	x 25.0	6000		86.40
	x 30.0	6120		100.00
	x 35.0	6000		112.00
	x 40.0	6000		123.00
	x 45.0	6000		133.00
168.3	x 15.0	6000		56.70
	x 20.0	6000		73.10
	x 25.0	6000		88.30
	x 30.0	6000		102.00
	x 35.0	6000		115.00
	x 40.0	6000		127.00
177.8	x 10.0	6000		41.40
	x 12.0	6000		49.10
	x 15.0	6000		60.20
	x 20.0	6000		77.80
	x 25.0	6500		94.20
	x 30.0	6500		109.00
	x 35.0	6500		123.00
	x 40.0	6500		136.00
	x 45.0	6500		147.00
	x 50.0	6000		158.00
185.0	x 12.0	6000		51.20
	x 15.0	6500		62.90
	x 20.0	6500		81.40
	x 25.0	6500		98.60
	x 30.0	6500		115.00
	x 35.0	6500		129.00
	x 40.0	6500		143.00
190.7	x 12.0	6500		52.90
	x 15.0	6500		65.00
	x 20.0	6500		84.20
	x 25.0	6500		102.00
	x 30.0	6500		119.00
	x 35.0	6500		134.00
	x 40.0	6500		149.00
	x 45.0	6500		162.00
193.7	x 15.0	6000		66.10
	x 20.0	6500		85.70
	x 25.0	6000		104.00
	x 30.0	6000		121.00

S45C

(機械構造用高炭素鋼鋼管)

在庫品

サイズ				
外径	肉厚	長さ		kg/m
205.0	x 15.0	6500		70.30
	x 20.0	6500		91.20
	x 25.0	6500		111.00
	x 30.0	6500		129.00
	x 35.0	6000		147.00
	x 40.0	6500		163.00
	x 45.0	6500		178.00
216.3	x 15.0	6500		74.50
	x 18.0	6000		88.00
	x 20.0	6500		96.80
	x 25.0	6500		118.00
	x 30.0	6500		138.00
	x 35.0	6500		156.00
	x 40.0	6500		174.00
	x 45.0	6500		190.00
	x 50.0	6500		205.00
219.1	x 15.0	6500		75.50
	x 20.0	6500		98.20
	x 25.0	6500		120.00
	x 30.0	6500		140.00
	x 35.0	6000		159.00
	x 40.0	6500		177.00
	x 45.0	6000		193.00
	x 50.0	6000		209.00
232.0	x 15.0	6500		80.30
	x 20.0	6500		105.00
	x 25.0	6500		128.00
	x 30.0	6500		149.00
	x 35.0	6500		170.00
	x 40.0	6500		189.00
	x 45.0	6500		208.00
	x 50.0	6500		224.00
241.8	x 15.0	6000		83.90
	x 20.0	6500		109.00
	x 25.0	6500		134.00
	x 30.0	6500		157.00
	x 35.0	6500		178.00
	x 40.0	6500		199.00
	x 45.0	6500		218.00
	x 50.0	6500		236.00
244.5	x 15.0	6000		84.90
	x 20.0	6500		111.00
	x 25.0	6500		135.00
	x 30.0	6500		159.00
	x 35.0	6500		181.00
	x 40.0	6500		202.00
	x 45.0	6000		221.00
	x 50.0	6000		240.00
254.0	x 15.0	6500		88.40
	x 20.0	6500		115.00
	x 25.0	6500		141.00
	x 30.0	6500		166.00
	x 35.0	6500		189.00
	x 40.0	6500		211.00
	x 45.0	6500		232.00
	x 50.0	6500		252.00

サイズ				
				kg/m
267.4	x 20.0	6500		122.00
	x 25.0	6500		149.00
	x 30.0	6500		176.00
	x 35.0	6500		201.00
	x 40.0	6500		224.00
	x 45.0	6500		247.00
	x 50.0	6500		268.00
273.1	x 20.0	6500		125.00
	x 25.0	6500		153.00
	x 30.0	6500		180.00
	x 35.0	6500		206.00
	x 40.0	6000		230.00
	x 45.0	6000		253.00
	x 50.0	6500		275.00
280.0	x 25.0	6500		157.00
	x 30.0	6500		185.00
	x 35.0	6000		211.00
	x 40.0	6000		237.00
298.5	x 20.0	6500		137.00
	x 25.0	6500		169.00
	x 30.0	6500		199.00
	x 35.0	6500		227.00
	x 40.0	6500		255.00
	x 45.0	6500		281.00
	x 50.0	6000		306.00
	x 55.0	6000		330.00
305.0	x 20.0	6500		141.00
	x 25.0	6500		173.00
	x 30.0	6000		203.00
	x 35.0	6500		233.00
	x 40.0	6000		261.00
	x 50.0	5500		314.00
318.5	x 15.0	6500		112.00
	x 20.0	6500		147.00
	x 25.0	6000		181.00
	x 30.0	6500		213.00
	x 35.0	6500		245.00
	x 40.0	6500		275.00
	x 45.0	6500		304.00
	x 50.0	6000		331.00
	x 55.0	5500		357.00
	x 60.0	5500		382.00
323.9	x 20.0	6500		150.00
	x 25.0	6500		184.00
	x 30.0	6000		217.00
	x 35.0	6500		249.00
	x 40.0	6000		280.00
	x 45.0	5500		309.00
339.7	x 20.0	6000		158.00
	x 25.0	6500		194.00
	x 30.0	6500		229.00
	x 35.0	6500		263.00
	x 40.0	6500		296.00
	x 45.0	6500		327.00
	x 50.0	6000		357.00
	x 55.0	5500		386.00

(機械構造用高炭素鋼鋼管)

在庫品

[illegible]